# SPECIFICATION FOR CERAMIC RESONATOR

MODEL NAME: ZTA5.00—12.99MT/ZTT5.00—12.99MT



SHANDONG YIGUANG ELECTRONIC JOINT STOCK CO., LTD Tel: 86-539-8269397 8269399 Fax: 86-539-8269396




## 1. **SCOPE**

This specification is applied to the ceramics resonator used for the clock Oscillation of Microprocessor.

## 2. MODEL NAME

Part Name	Customer's Part number	Drawing No.
ZTA5.00—12.99MT		
ZTT 5.00—12.99MT		

## 3. **DIMENSIONS**




MARK 1: ZTA5.00—12.99MT MARK 2: ZTT5.00—12.99MT



## 4. TEST CIRCUIT

Parts shall be measured under a condition (Temp.:3 $\sim$ 35°C.Hum.:45 $\sim$ 85%) unless any Necessity to measure under a standard condition (Temp.:20 $\pm$ 2°C.Humi.:65 $\pm$ 5%) is occurred.



X1: ZTA5.00—12.99MT

X2: ZTT5.00--12.99MT

C1=C2=30PF IC: TC4069UBP VDD=+5V

# 5. ELECTRICAL CHARACTERISTICS

	Item	Requirements
5-1	Frequency Accuracy	5.00—12.99M±0.5%
5-2	Resonant Impedance	<b>30</b> Ω max
5-3	Operating Temperature Range Storage Temperature Range	-20 to +80 -30 to +85
5-4	Stability Temperature	±0.3% max. (−20−+80°C)
5-5	Withstanding Voltage	DC 100V. (less than 5 sec)
5-6	Insulation Resistance	100 M Ω min (DC 10V)
5-7	Aging for 10 Years	±0.5±% max



6.PHYSICAL AND ENVIRONMENTAL CHARCTERISTICS

	Test Item	Condition of Test	Requirements
6-1	Lead strength Force of 1 Kg is applied for 10 second to each lead in axial direction.		No echanical damage and the measured
	Lead Bending	Firmed the terminal up to 2mm. Resonator lead shall be subjected to withstand against 90° bending	values shall meet Item 5.
		its stem. This operation shall be done toward both direction.	
6-2	Solder ability	The terminals of the Resonator shall be immersion in a soldering bath (230±5°C) for 3±0.5sec. (refer to Mil-STD-202E-208C)	The solder shall for coat at least 95% of the terminal.
6-3	Vibration	Resonator shall be measured after being Applied vibration as below. Vibration Freq:10-55Hz Amplitude: 1.5mm Direction: 3axial directions	
6-4	Random Drop	Time: 2bour/each direction  Resonator shall be measured after 3 times  Random dropping from the height of 1m.	
	Resistance to	Concrete floor  Dipped in (350±10°C) measured solder to a point	The measured values
6-5	Soldering Heat	1.5mm from Resonator body for 3±0.5 sec or dipped in (260±5°C) melted solder for 10±1 sec. Resonator shall be measured after being placed in natural condition for 1 hour.	Shall meet table l



6. PHYSICAL AND ENVIRONMENTAL CHARACTERISTICS

	Test Item	<b>Condition of Test</b>	Requirements	
6-6	Humidity	After being placed in a chamber (Humi: 90-95%RH Temp:40±2°C) for 96 hours  Resonator shall be measured after placed in natural condition for 1 hour.		
6-7	Life Test (High temperature)	After being placed in a chamber 85±2°C for 96 hours, Resonator shall be measured after being placed in natural condition for 1 hour.		
6-8	Life Test (Low temperature)	Stored in a chamber (Temp:-20±2°C) for 1000 hours, Resonator shall be measured after being placed in natural condition for 1 hour.	The measured values Shall meet table l	
6-9	Thermal shock	After temperature cycling of -20°C(30min) to +80°C (30min) was performed 5times the Resonator shall be measured after being placed in natural condition for 1 hour.		

Table 1

Item	Limit Value	
Frequency shift	F/FO≤±0.3%	
Resonant Impedance	Zr≪5Ω	

Note: The limits in the above table are referenced to the initial Measurements.



# 7. NOTICE

- 7.1 Ceramic Resonator should be stowed in storeroom. And the surrounding atmosphere Is acid less, alkali-free and no other harmful impurity.
- 7.2 The package for ceramic damage.
- 7.3 This specification limits the quality of the component as a single unit.

  Please make sure that the component is evaluated and confirmed the drawings

  When it is mounted to your product.