GL710

IrDA 1.1 Compliant Infrared Emitting Diode

■ Features

1. Compliant with IrDA1.1
2. Compliant with IrDA 1.0, ASK, DASK
3. High radiation intensity
   (MIN. 100mW/sr within±15 degree)
4. High speed (Rise time : TYP. 15ns)

■ Applications

1. Personal computers
2. Personal information tools(PDA)
3. Printers

■ Absolute Maximum Ratings

(Ta=25°C)

Parameter	Symbol	Rating	Unit
Forward current	I_F	60	mA
*1 Peak forward current	I_{FM}	0.4	A
Reverse voltage	V_R	4	V
Operating temperature	T_{opr}	−20 to +70	°C
Storage temperature	T_{stg}	−40 to +85	°C
*2 Soldering temperature	T_{sol}	260	°C

*1 Pulse width 260.4ns, Duty ratio :0.25 or Pulse width 78.1µs, Duty ratio : 3/16
*2 For MAX. 3s at the position of 1.6mm from the resin edge.

■ Outline Dimensions

(Unit : mm)



■ Electro-optical Characteristics

(Ta=25°C)

Parameter	Symbol	Conditions	MIN.	TYP.	MAX.	Unit
Forward voltage	V_F	I_F=20mA	–	1.3	1.9	V
Peak forward voltage	V_{FM}	I_{FM}=0.3A, t_{WIN}=260.4ns, DR=0.25	–	1.9	2.8	V
Reverse current	I_R	V_R=3V	–	–	10	μA
Radiant intensity	I_E	I_{FM}=0.3A, *3ϕ≤15°	100	130	300	mW/sr
Peak emission wavelength	λp	I_F=50mA	850	880	900	nm
Spectrum radiation bandwidth	Δλ	I_F=50mA	–	40	–	nm
Half intensity angle	Δθ	I_F=50mA	–	±20	–	°
Rise time	t_r	I_F=50mA	–	15	40	ns
Fall time	t_f	I_F=50mA	–	15	40	ns

*3 Direction of mechanical axis of the lens portion : ϕ=0°.

Fig.1 Peak Forward Current vs. Ambient Temperature



Fig.2 Spectral Distribution



Fig.3 Peak Emission Wavelength vs. Ambient Temperature



Fig.4 Forward Current vs. Forward Voltage



Fig.5 Relative Radiant Intensity vs. Ambient Temperature



Fig.6 Radiant Intensity vs. Forward Current



Fig.7 Radiation Diagram



NOTICE

- The circuit application examples in this publication are provided to explain representative applications of SHARP devices and are not intended to guarantee any circuit design or license any intellectual property rights. SHARP takes no responsibility for any problems related to any intellectual property right of a third party resulting from the use of SHARP's devices.
- Contact SHARP in order to obtain the latest device specification sheets before using any SHARP device. SHARP reserves the right to make changes in the specifications, characteristics, data, materials, structure, and other contents described herein at any time without notice in order to improve design or reliability. Manufacturing locations are also subject to change without notice.
- Observe the following points when using any devices in this publication. SHARP takes no responsibility for damage caused by improper use of the devices which does not meet the conditions and absolute maximum ratings to be used specified in the relevant specification sheet nor meet the following conditions:

  (i) The devices in this publication are designed for use in general electronic equipment designs such as:
  --- Personal computers
  --- Office automation equipment
  --- Telecommunication equipment [terminal]
  --- Test and measurement equipment
  --- Industrial control
  --- Audio visual equipment
  --- Consumer electronics

  (ii) Measures such as fail-safe function and redundant design should be taken to ensure reliability and safety when SHARP devices are used for or in connection with equipment that requires higher reliability such as:
  --- Transportation control and safety equipment (i.e., aircraft, trains, automobiles, etc.)
  --- Traffic signals
  --- Gas leakage sensor breakers
  --- Alarm equipment
  --- Various safety devices, etc.

  (iii) SHARP devices shall not be used for or in connection with equipment that requires an extremely high level of reliability and safety such as:
  --- Space applications
  --- Telecommunication equipment [trunk lines]
  --- Nuclear power control equipment
  --- Medical and other life support equipment (e.g., scuba).

- If the SHARP devices listed in this publication fall within the scope of strategic products described in the Foreign Exchange and Foreign Trade Law of Japan, it is necessary to obtain approval to export such SHARP devices.
-
- Contact and consult with a SHARP representative if there are any questions about the contents of this publication.