

PECL Compatible HA-A870 Series

Description

The HA-A870 Series of quartz crystal oscillators provide MECL 10K and 10KH series compatible signals in industry standard four-pin DIP hermetic packages. Systems designers may now specify space-saving, cost-effective packaged PECL oscillators to meet their timing requirements.

Pin Connection

1 N.C.


4 V_{EE} Grd & Case

5 Output

8 V_{CC}

Features


- Wide frequency range—18.0MHz to 250.0MHz
- User specified tolerance from ±20ppm
- · Case at electrical ground
- Will withstand vapor phase temperatures of 253°C for 4 minutes maximum
- MECL 10K and 10KH series compatible output on Pin 5
- All metal, resistance weld, hermetically sealed package
- High shock resistance, to 3000g
- 3.3 volt operation






Continued PECL Compatible HA-A870 Series

	PARAMETER	CONDITIONS	MINIMUM	MAXIMUM
I Characteristics	Supply voltage (V _{CC})		3.15V	3.45V
	Supply current (I _{CC})	V _{CC} or ground current	0.0 mA	80 mA
	Output current (I _O)	Low level	0.0 mA	±50.0 mA
		output current		
	Tolerance	User specified	±20ppm	
	Operating temperature (T _A)		0°C	70°C
	Storage temperature (T _S)		-55°C	125°C
era	Power dissipation (P _D)			276mW
General	Lead temperature (T _L)	Soldering, 10 sec.		300°C
Ŏ				
Output Characteristics	Frequency		18.0MHz	250.0MHz
	Symmetry	@ 2.01V level	45/55%	55/45%
	Logic 0 (V _{OL}) ⁽²⁾		1.35V	1.70V
	Logic 1 (V _{OH}) ⁽²⁾		2.28V	2.56V
	Rise & fall time (t _r ,t _f)	20-80% V _O		2.25 ns
	Footnote:			
	$^{(2)}V_{OL}$, V_{OH} referenced to ground (V_{EE}) with V_{CC} =3.3V			





This information has been carefully prepared and is believed to be entirely reliable. However, no responsibility is assumed for inaccuracies. NEL reserves the right to make changes at any time in order to improve design and supply the best product possible.

Specialty Oscillators for Unique Requirements

If the characteristics listed above do not meet your specific requirements, specialty solutions are often available.

For example, if you need better stability, extended temperature range, or tighter symmetry, NEL can provide a HA-A879 series oscillator to serve your needs.

To let us know your special requirements, complete our Specialty Oscillator sheet. We will respond with the desired specialty oscillator, or discuss with you a solution that most closely meets your needs.

