DC-DC Converters

For LCD Display









SMD

Ultra Low Profile Type

SMD Chip Lead-type

Specification

Part Number	Input Voltage (V)	Output		Shape	Dimensions (mm) LXWXH	Application
HFP106A004A1	- - 5	30V	40mA	SIP	24.5×5.5×12.0	
HFP106YM002A1				SMD	18.0×11.0×4.5	STN LCD
HFP126A010A1		-24V	20mA	SIP	24.5×5.5×12.0	SINLOD
HFP126YM011A1				SMD	18.0×11.0×4.5	
HFP166YC028A1	3.3	15V	1 to 10mA		38.7×5.8×3.0	TFT LCD
		5 V	35 to 150mA	SMD		
		-9V	2 to 20mA			

Minimum Quantity (order in sets only): 1,000 pcs.

DC-DC Converters

For Personal Computer and Peripheral Equipment








For office Automation Equipment

Specification

Part Number	Input Voltage (V)	Output Voltage (V)	Output Current (mA)	Shape	Dimensions (mm) L×W×H	Application	
HFP143F05031A3	5.0	3.3	450	SIP	33.0×9.0×14.5	IEEE1394 for Isolation	
HFP166F037A1	3.3	5.0	120	SIP	26.0×7.0×13.0	For Office Automation Equipment	

DC-DC Converters

Communication Equipment (Non-Isolation Type)







Specification


Part Number	Input Voltage (V)	Output Voltage (V)	Output Current (A)	Shape	Dimensions (mm) L×W×H	Application	
	3.3	1.0	6	SIP	33.0×5.8×24.0		
		1.2				Server Router Transfer equipment BTS	
		1.5					
		1.8					
		2.0					
		2.5					
MPDTY0 Series		1.0	6				
		1.2					
		1.5					
	5.0	1.8					
		2.0					
		2.5					
		3.3					
MPDTY1 Series		1.0	6				
		1.2					
	3.3	1.5					
	3.3	1.8					
		2.0					
		2.5					
		1.0	6	SMD	33.8×15.4×6.0		
		1.2					
	5.0	1.5					
		1.8					
		2.0					
		2.5					
		3.3					

DC-DC Converters

Communication Equipment (Isolation Type)







HFP154YD48 Series

MPD6D10*S/11*S/00*S Series

MPD6D12*S Series

Specification

Power (W)	Number of Output	Part Number	Input Voltage (V)	Output Voltage (V)	Output Current (A)	Dimensions (mm) L×W×H	Weight (g)
		HFP154YD48***1 Series		3.3 3		46.8×24.1×7.2	
	HFP154YD48 To Series		5.0	2	40.8 × 24.1 × 7.2		
				1.5			
				1.8	3		
	HFP154YD48***2 Series		2.5	3	37.7×23.4×7.2		
10			48	3.3			8
10				5.0	2		
		MPD6D10*S Series		1.5	3.5	39.9×22.4×4.0	
				1.8	3		
				2.5			
				3.3			
				5.0	2		
1 15		MPD6D11*S Series		1.5	5.2	39.9×31.2×4.0	10
	1			1.8	4.5		
				2.5			
			3.3				
			5.0	3			
20		MPD6D00*S Series		1.5	- 8	39.9×31.2×4.5	12
				1.8			
				2.5	7		
				3.3	6		
				5.0	4		
30				1.5	- 11		18
		MPD6D12*S Series		1.8		45.0×45.0×4.2	
				2.5	10		
				3.3	9		
				5.0	6		

Minimum Order Quantity: 1,000 pcs.

391